

# VIKRAM RINGS

Consistency | Quality | Reliability

All types of Textile | Spinning | Doubling | Twisting Rings




Engineering Works





## Engineering Works

- ▲ Established in the year 1991
- ▲ We are Manufacturer of Spinning Rings for the Spinning, Doubling and Twisting Machines
- ▲ We are having wide range of ring sizes from 36mm to 285mm running dia.
- ▲ Our speciality is customization of any ring size as per customer's requirement.
- ▲ We have a highly sophisticated infrastructure and high precession CNC Machineries in-house to maintain international parameters of our rings.
- ▲ We have a well Oraganized, R & D unit for the development of the new products and improvisation in existing ranges.
- ▲ We are having highly qualified quality conscious engineers with the experience of 25 years in ring manufacturing.
- ▲ STEEL we are using high strength, high chromium & high carbon steel in our ring to achieve suitable hardness in conjunction with Ring Travelers.



# Global Presence in 6 Countries

## SPECIALITY FEATURES :

When, New Rings Installed We Should Remember That Temperature Reach Over 800°C At The Point Of Contact Between Ring & Traveller. Due To High Temperature Micro-Welds Generated Between Ring And Traveller. Thanks To Special Coating On Vikram Rings Do Not Allow Micro-Welds To Occur On The Traveller And Manage To Keep Their Ring In The Perfect Condition For A Much Longer Time. Consequently Ring Life Extended Much Longer Including Compact Yarn.

Made in High Carbon High Chrome 100cr6, Core Hardened Ball Bearing Steel. We Have A Modern Infrastructure With High Precision CNC Machine, Well Organized R&D And Quality Control System. Our Rings Are Having Dry Lubrication, Anti-Wear, On Metallic Plasma Like Coating.

## TECHNICAL FEATURE :

- ▲ Ovality 15 TO 20 Microns.
- ▲ RA Value Less Than 0.2 + Ra.
- ▲ Vickers Hardness 1100KG/MM.
- ▲ Spindle Speed Up To 20,000 TO 22,000 RPM.
- ▲ Profile Suitable For Any Make of Traveller.
- ▲ Do Not Require a Special Running-In.



Ring For L.R RIF



Ring For Textool RIF



Ring For Zinser Worsted RIF



Ring For Heavy Doublers



Blackodised



Ring For Saco - Lowel MIC



Ring For Heavy Doublers  
for Monofilament Yarn



Ring For MEINMM  
Ring Frame

## PRODUCTS

Flange Type High Speed Ring | Solid Screw Fitting | Press Fitting  
Reversible Ring | Multi Groove Ring | Conical Type Ring  
Self Lubricating Ring With Aluminium Adopter | Reduced Ring | Enlarge Ring

# VIKRAM RINGS

Consistency | Quality | Reliability

Our Quality Policy

We at Engineering Works Believe that quality is passion, commitment & never ending process. We Manufacture economical product with international standards.



## Vikram Engineering Works

Regd. Office :

219, G.I.D.C. Industrial Estate, Phase-II,  
Wadhwan City - 363 035. (Guj.) India.

Mob. +91 90332 55845 | +91 98252 23674

E-mail : vikram\_ring@rediffmail.com

Website : www.vikramtextilering.com

